ISSN 0954-6820
Volume 249 2001

Journal of INTERNAL MEDICINE

VOLUME CONTENTS

Editor: G. Holm

Associate Editors:
B. Angelin
U. de Faire
B. Fagrell
S. Ljunghall

Blackwell Science

Published by Blackwell Science
Editorial Offices:

Blackwell Science Ltd
23 Ainslie Place, Edinburgh EH3 6AJ, UK

Blackwell Science Ltd
25 John Street, London WCIN 2BL, UK

Blackwell Science Ltd
Osney Mead, Oxford OX2 0EL, UK

Blackwell Science Asia Ltd
54 University Street, (PO Box 378), Carlton South, Victoria 3053, Australia

Blackwell Science Europe Ltd
10 rue Casimir Delavigne, F-75006 Paris, France

Blackwell Wissenschafts Verlag GmbH
Kurfürstendamm 57, D-107707 Berlin, Germany

Blackwell Science KK
MG Kodenmacho Building, 7–10 Kodenmacho Nihombashi
Chuo-ku, Tokyo 104, Japan

Blackwell Science Inc.
Suite 500, 5th Floor, 238 Main Street, Cambridge, MA 012142, USA

© 2001 Blackwell Science Ltd. Authorization to photocopy for internal or personal use or the internal or personal use of specific clients is granted by Blackwell Science Ltd for libraries and other users register with the Copyright Clearance Center (CCC) Transactional Reporting Service provided that the base fee of $15.00 per copy is paid directly to the CCC, 222 Rosewood Drive, Suite 910, Danrers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Editor.
0954-6820/01: $15.00.

The Blackwell Science logo is a trade mark of Blackwell Science Ltd registered at the United Kingdom Trade Marks Registry.

NO. 1, JANUARY 2001

REVIEWS

Molecular epidemiology of tuberculosis and other mycobacterial infections: main methodologies and achievements 1
D. van Soolingen

Substance P: a pioneer amongst neuropeptides 27
T. Hökfelt, B. Pernow & J. Wahren

ORIGINAL ARTICLES

Unintentional weight: diagnosis and prognosis. The first prospective follow-up study from a secondary referral centre 41
P. G. Lankisch, M. Gerzmann, J.-F. Gerzmann & D. Lehnick

Quality of life of chronic stable angina patients 4 years after coronary angioplasty or coronary artery bypass surgery 47
B. Brorsson, S. J. Bernstein, R. H. Brook & L. Werkö

Insulin resistance and intima–media thickness in the carotid and femoral arteries of clinically healthy 58-year-old men. The Atherosclerosis and Insulin Resistance Study (AIR) 59
L. Bokemark, J. Wikstrand, S. Attvall, J. Hulthe, H. Wedel & B. Fagerberg

Biliary dysplasia, cell proliferation and nuclear DNA-fragmentation in primary sclerosing cholangitis with and without cholangiocarcinoma 69
A. Bergquist, H. Glaumann, P. Stål, G.-S. Wang & U. Broomé

Angiotensin-converting enzyme (ACE) gene polymorphisms and familial occurrence of sarcoidosis 79
M. Schürmann, P. Reichel, B. Müller-Myhsok, T. Dieringer, K. Wurm, M. Schlaak, J. Müller-Quernheim & E. Schwinger

Familial phosphofructokinase deficiency is associated with a disturbed calcium homeostasis in erythrocytes 85
G. Ronquist, O. Rudolphi, I. Engström & A. Waldenström

Increased erythrocyte content of Ca^{2+} in patients with Tarui's disease 97
A. Waldenström, I. Engström & G. Ronquist

CASE REPORT

Ehlers–Danlos syndrome type IV with a unique point mutation in *COL3A1* and familial phenotype of myocardial infarction without organic coronary stenosis 103
Y. Nishiyama, J. Nejima, A. Watanabe, E. Kotani, N. Sakai, A. Hatamochi, H. Shinkai, K. Kiuchi, K. Tamura, T. Shimada, T. Takano & Y. Katayama

INSTRUCTIONS FOR AUTHORS 109

NO. 2, FEBRUARY 2001

REVIEWS

Hepatitis C in clinical practice 111
A. M. Larson & R. L. Carithers

From fact to recommendation: explicit value premises make the conclusion more convincing 121
T. Nilstun & P. Sjökvist

ORIGINAL ARTICLES

Bioinformatic and experimental tools for identification of single-nucleotide polymorphisms in genes with a potential role for the development of the insulin resistance syndrome 127
A. M. Bennet, T. I. Näslund, R. Morgenstern & U. de Faire

Geographical differences in the incidence of acute myocardial infarction in Sweden. Analyses of possible causes using two parallel case–control studies 137
N. Hammar, T. Andersson, C. Reuterwall, T. Nilsson, A. Knutsson, J. Hallqvist & A. Ahlbom

Are patients truthful about their smoking habits? A validation of self-report about smoking cessation with biochemical markers of smoking activity amongst patients with ischaemic heart disease 145
M. From Attebring, J. Herlitz, A. K. Berndt, T. Karlsson & A. Hjalmarson

Sleep-disordered breathing and glucose metabolism in hypertensive men: a population-based study 153
A. Elmasry, E. Lindberg, C. Berne, C. Janson, T. Gislason, M. Awad Tageldin & G. Boman

© 2001 Blackwell Science Ltd *Journal of Internal Medicine*

Effect of plant sterol-enriched margarine on plasma lipids and sterols in subjects heterozygous for phytosterolaemia 163
A. F. H. Stahlenhoef, M. Hectors & P. N. M. Demacker

Marked suppression of renin levels by β-receptor blockers in patients treated with standard heart failure therapy: a potential mechanism of benefit from β-blockade 167
S. R. Holmer, C. Hengstenberg, B. Mayer, S. Engel, H. Löwel, G. A. J. Riegger & H. Schunkert

Almost all institutionalized women are osteoporotic, when measured by heel and finger ultrasound 173
A. Ekman, K. Michaëlsson, S. Ljunghall & H. Mallmin

Identification of a new coeliac disease subgroup: antiendomysial and anti-transglutaminase antibodies of IgG class in the absence of selective IgA deficiency 181
A. Picarelli, M. di Tola, L. Sabbatella, A. Mastracchio, A. Trecca, F. Gabrielli, T. di Cello , M. C. Anania & A. Torsoli

Insulin resistance adds to endothelial dysfunction in hypersensitive patients and in normotensive offspring of subjects with essential hypertension 189
B. Zizek & P. Poredos

ACKNOWLEDGEMENT OF REVIEWERS 2000 199

NO. 3, MARCH 2001

EDITORIAL

Hormone replacement therapy and cardiovascular risk: do abnormalities of coagulation and fibrinolysis matter? 201
G. Y. H. Lip & D. C. Felmeden

REVIEWS

Should patients with hypertension receive antithrombotic therapy? 205
G. Y. H. Lip, E. Edmunds & D. G. Beevers

Blood pressure in diabetic neuropathy – current controversies 215
E. Ritz, I. Rychlík, M. Schömig & J. Wagner

Cardiovascular disease in type 2 diabetes: challenge for treatment and prevention 225
M. Laakso

ORIGINAL ARTICLES

Hormone replacement therapy in healthy postmenopausal women: a randomized, placebo-controlled study of effects on coagulation and fibrinolytic factors 237
A. Gottsäter, M. Rendell, U. L. Hulthén, I. E. Berntorp & I. Mattiasson

Metaiodobenzylguanidine (MIBG) scintigraphy and computed tomography (CT) in clinical practice. Primary and secondary evaluation for localization of phaeochromocytomas 247
A. Scott Berglund, U. L. Hulthén, P. Manhem, O. Thorsson, P. Wollmer & C. Törnquist

Heart failure in the general population of men – morbidity, risk factors and prognosis 253
L. Wilhelmsen, A. Rosengren, H. Eriksson & G. Lappas

Increased mortality in diabetes during the first 10 years of the disease. A population-based study (DISS) in Swedish adults 15–34 years old at diagnosis 263
L. Wibell, L. Nyström, J. Östman, H. Arnqvist, G. Blohmé, F. Lithner, B. Littorin & G. Sundkvist

ERRATUM

Increased plasma concentrations of TGF-β_1 after hormone replacement therapy 271
S. Djurovic, I. Os, A. E. Hofstad, M. Abdelnoor, A. Westheim & K. Berg

LETTERS TO THE EDITOR

Appropriate treatment of hypernatraemia in diabetic hyperglycaemic hyperosmolar syndrome 273
H. J. Milionis, G. Liamis & M. Elisaf

Reply 275
S. Tanaka & T. Kobayashi

INSTRUCTIONS FOR AUTHORS 277

NO. 4, APRIL 2001

ORIGINAL ARTICLES

Prediction of diabetes with body mass index, oral glucose tolerance test and islet cell autoantibodies in a regional population 279

O. Rolandsson, E. Hägg, M. Nilsson, G. Hallmans, L. Mincheva-Nilsson & Å. Lernmark

Specific T-cell receptor usage with cytokinemia in Henoch–Schönlein purpura nephritis associated with *Staphylococcus aureus* infection 289
K. Hirayama, M. Kobayashi, K. Muro, K. Yoh, K. Yamagata & A. Koyama

Comparison of echocardiography and radionuclide ventriculography in the follow-up of left ventricular systolic function in adult lymphoma patients during doxorubicin therapy 297
T. Nousiainen, E. Vanninen, E. Jantunen, J. Puustinen, J. Remes, A. Rantala & J. Hartikainen

Multiple risk intervention trial in high risk hypertensive men: comparison of ultrasound intima-media thickness and clinical outcome during 6 years of follow-up 305
S. Agewall, B. Fagerberg, G. Berglund, C. Schmidt, I. Wendelhag & J. Wikstrand

Marital status and cardiovascular risk in French and Swedish automotive industry workers – cross sectional results from the Renault–Volvo Coeur study 315
L. Kumlin, G. Latscha, K. Orth-Gomér, L. Dimberg, C. Lanoiselée, A. Simon & B. Eriksson

MINISYMPOSIUM

Haematopoietic cell gene therapy 325

Introduction 327
G. Gahrton

The use of nonhuman primate models to improve gene transfer into haematopoietic stem cells 329
C. E. Dunbar

Lentiviral-mediated gene transfer into haematopoietic stem cells 339
N.-B. Woods, H. Mikkola, E. Nilsson, K. Olsson, D. Trono & S. Karlsson

Gene transfer and the treatment of haematological malignancy 345
M. K. Brenner

Suicide gene therapy: possible applications in haematopoietic disorders 359
M. S. Dilber & G. Gahrton

Use of suicide gene-expressing donor T-cells to control alloreactivity after haematopoietic stem cell transplantation 369
P. Tiberghien

Gene therapy for genetic haematological disorders and immunodeficiencies 379
D. B. Kohn

NO. 5, MAY 2001

EDITORIAL

Diabetes mellitus – a more solid ground for treatment 391
C. Berne

REVIEW

Diet and breast cancer 395
W. C. Willett

ORIGINAL ARTICLES

Aphasia in acute stroke and relation to outcome 413
A. C. Laska, A. Hellblom, V. Murray, T. Kahan & M. von Arbin

Serum cobalamin, folate, methylmalonic acid and total homocysteine as vitamin B12 and folate tissue deficiency markers among elderly Swedes – a population-based study 423
K. Björkegren & K. Svärdsudd

Lisinopril reduces albuminuria during exercise in low grade microalbuminuric Type 1 diabetic patients: a double blind randomized study 433
P. L. Poulsen, E. Ebbehøj & C. E. Mogensen

Cell adhesion molecules and secretory type II phospholipase A_2 in relation to carotid atherosclerosis in patients with hypercholesterolemia 441
O. Wiklund, J. Hulthe, G. Bondjers & E. Hurt-Camejo

Lack of association between polymorphisms of catalase, copper–zinc superoxide dismutase (SOD), extracellular SOD and endothelial nitric oxide synthase genes and macroangiopathy in patients with type 2 diabetes mellitus 451
O. Ukkola, P. H. Erkkilä, M. J. Savolainen & Y. A. Kesäniemi

Homocysteine and major coronary events: a prospective population study amongst women 461
P. Knekt, G. Alfthan, A. Aromaa, M. Heliövaara, J. Marniemi, H. Rissanen & A. Reunanen

High initial blood pressure after acute stroke is associated with poor functional outcome 467
N. Ahmed & N. G. Wahlgren

LETTERS TO EDITOR

Is the streptokinase responsible for the endothelial injury and the platelet activation during fibrinolytic therapy? 475
K. Kolev, J. Skopál, Z. Nagy & R. Machovich

Response to Kolev et al. 476
G. Y. H. Lip

NO. 6, JUNE 2001

REVIEW ARTICLE

The role of gene–environment interaction in the aetiology of human cancer: examples from cancers of the large bowel, lung and breast 477
L. A. Mucci, S. Wedren, R. M. Tamimi, D. Trichopoulos & H.-O. Adami

ORIGINAL ARTICLES

The relationship between educational level and mortality. The Reykjavík Study 495
T. Hardarson, M. Gardarsdóttir, K. Th. Gudmundsson, G. Thorgeirsson, H. Sigvaldason & N. Sigfússon

Increased levels of tPA antigen and tPA/PAI-1 complex in myotonic dystrophy 503
A. Johansson, K. Boman, K. Cederquist, H. Forsberg & T. Olsson

Plasma fibrinogen level and long-term prognosis in Norwegian middle-aged patients with previous myocardial infarction. A 10 year follow-up study 511
L. Retterstol, P. Kierulf, J. C. Pedersen, M. Bohn, A. Bakken, J. Erikssen & K. Berg

Microalbuminuria is common, also in a nondiabetic, nonhypertensive population, and an independent indicator of cardiovascular risk factors and cardiovascular morbidity 519
H. L. Hillege, W. M. T. Janssen, A. A. A. Bak, G. F. H. Diercks, D. E. Grobbee, H. J. G. M. Crijns, W. H. van Gilst, D. de Zeeuw & P. E. de Jong

Risk assessment in patients with acute myocardial infarction treated with thrombolytic therapy 527
M. Jensen-Urstad, B. A. Samad, K. Jensen-Urstad, J. Hulting, H. Ruiz, F. Bouvier & J. Höjer

Nicotine infusion acutely impairs insulin sensitivity in type 2 diabetic patients but not in healthy subjects 539
T. Axelsson, P.-A. Jansson, U. Smith & B. Eliasson

Heart rate variability and *n-3* polyunsaturated fatty acids in patients with diabetes mellitus 545
J. Hagstrup Christensen, H. Aarup Skou, T. Madsen, I. Tørring & E. Berg Schmidt

Large differences in serum leptin levels between nonwesternized and westernized populations: the Kitava study 553
S. Lindeberg, S. Söderberg, B. Ahrén & T. Olsson

A high prevalence of hypovitaminosis D in Finnish medical in- and outpatients 559
R. Kauppinen-Mäkelin, R. Tähtelä, E. Löyttyniemi, J. Kärkkäinen & M. J. Välimäki

LETTER TO EDITOR

Amiodarone-induced adult respiratory distress syndrome after nonthoracotomy subcutaneous defibrillator implantation 565
E. Liverani, A. Armuzzi, F. Mormile, M. Anti, G. Gasbarrini & N. Gentiloni

Author index 567
Keyword index 571